

INVITATION TO BID

Village of Carrollton, Carroll County
80 Second Street S.W.
Carrollton, Ohio 44615
Village Administration- (330) 627-1414

Bid Description: Structural Firefighting Ensembles / Helmets / Hoods / Gloves / Boots / Self-
Contained Breathing Apparatus / Extra Face Pieces

Bid Opening Date: March 29th, 2019 Time: 12:00 Noon EST

NAME AND ADDRESS INFORMATION MUST APPEAR BELOW

Submitted by:

Salesperson/Company Rep Name: _____

Company Name: _____

Federal Tax ID No: _____

Street Address: _____

P.O. Box: _____

City: _____ State: _____ Zip Code: _____

Telephone Number: _____ Fax Number: _____

INSTRUCTIONS FOR SUBMITTING BIDS

1. The original bid response shall be submitted in a sealed envelope with the words “PPE / SCBA BID” clearly marked on the outside of the envelope. If bidder is using an alternate or similar type of service, the bid response must be contained in a sealed envelope within the “Express Mailer Package” (the bid description must be listed on the exterior of the sealed envelope contained within the “Express” mailer). **Failure to submit the bid in a sealed envelope and / or without the bid description clearly marked on the exterior shall result in immediate disqualification and no further consideration given for the award.**
2. The original bid response (hereinafter referred to as “bid”) shall be submitted to the following:

The Village of Carrollton
Attention: Village Administrator Mark Wells
80 Second Street S.W.
Carrollton, Ohio 44615

3. Bid shall be received no later than Two (2) hours prior to the scheduled date and time of opening as listed on the Invitation to Bid (hereinafter referred to as “ITB”). All bids will be time and date stamped upon receipt by The Village of Carrollton, which shall be the official date and time of receipt. Postmarks, or other times and dates appearing will not be considered as the official date and time of receipt. Delivery to any other location not defined above, does not constitute a bid being received by The Village of Carrollton. Bids submitted with insufficient postage will not be accepted. Telegraphic, facsimiles, or any other mode of transmission other than stated above shall not be considered as valid submission to The Village of Carrollton. Bidders using an alternate or similar type of mailing service should verify with the service as to which address is required to ensure proper delivery of the response to The Village of Carrollton. The Village will not be held liable for non-delivery and/or late delivery of any bid response due to a bidder listing an incorrect address.
4. The original bid response shall be properly completed, signed by the bidder and accompanied by one copy of necessary supportive documentation, including the executed non-collusion affidavit. The original bid response must contain an authorized original signature of the bidder on the signature page.
5. Any and all exceptions to the specifications outlined herein shall be noted on the bid specification and thoroughly explained in the bid proposal. It will be the responsibility of The Village of Carrollton to determine if a substitution to the specification is considered “equal to”. The bidder must provide with any exception detailed specifications so that the Village can make the necessary comparisons to make a proper decision. Failure to do so may result in the rejection of submitted bid for noncompliance.

6. Any bid received after the scheduled date and time of opening will be marked as late, remain sealed, and will receive no further consideration for award. Bidders should allow enough time for mailing their bids to ensure delivery prior to the established cut-off time on the opening date and time. The Village will not be responsible for a late bid due to failure of the bidder to allow enough time for delivery of the bid.
7. In order to protect the integrity of the bidding process, bids shall not be prepared, completed or altered on the premises of The Village of Carrollton. Any bid which is prepared, completed or altered on the premises of The Village of Carrollton shall be immediately disqualified and receive no further consideration for award.
8. A copy of the ITB may be obtained by visiting The Village of Carrollton's website www.villageofcarrollton.com.
9. Bids, unless otherwise proven herein, are subject to the Public Records Law, Section 149.43 of the Ohio Revised Code. Copies of bid responses must be requested and will be provided within a reasonable timeframe and at a fee established by The Village of Carrollton. To expedite and properly respond to such public records requests, a written request shall be submitted.
10. Any pre-bid questions or inquiries must be submitted in writing to the Village of Carrollton and received no later than three (3) business days before the scheduled opening date. The Village will not respond to any pre-bid questions or inquiries received later than three (3) business days before the scheduled opening date. The issuance of an addendum is dependent upon the information received and the impact on the competitive bid process. Pre-bid questions can be emailed to Carrollton Village Administrator Mark Wells at the following email address: villageadministrator@villageofcarrollton.com.
11. All pre-bid enquiries must contain the following information:
 - Name of sender
 - Company Name
 - Phone Number
 - Opening Date
 - Bid Description
 - A Detailed Description of the Question
 - Any Other Pertinent Information
 - Bidders shall not contact any other Village division or office for responses to pre-bid questions.

Specification and Pricing for Structural Firefighting Ensembles, Helmets, Hoods, Gloves, Boots, Self-Contained Breathing Apparatus, Spare Face Pieces

BIDDER'S NAME: _____

MAKE AND MODEL (PPE Coat & Pant Sets): _____

MAKE AND MODEL (PPE Helmets): _____

MAKE AND MODEL (PPE Hoods): _____

MAKE AND MODEL (PPE Gloves): _____

MAKE AND MODEL (PPE Boots): _____

MAKE AND MODEL (SCBA's / Face Pieces): _____

PRICING

Please quote and insert below your lowest net price for the commodities herein described.

Vendor Name: _____

<u>ITEM</u>	<u>QUANTITY</u>	<u>UNIT OF MEASURE</u>	<u>DESCRIPTION</u>	<u>QUOTE</u>
-1-	-35-	Each: \$ _____	Coat	Total: \$ _____
-2-	-35-	Each: \$ _____	Pant/Suspender Set	Total: \$ _____
-3-	-35-	Each: \$ _____	Helmet	Total: \$ _____
-4-	-70-	Each: \$ _____	Hood	Total: \$ _____
-5-	-70 sets-	Each: \$ _____	Glove	Total: \$ _____
-6-	-35 pairs-	Each: \$ _____	Boot	Total: \$ _____
-7-	-14-	Each: \$ _____	Complete SCBA	Total: \$ _____
-8-	-21-	Each: \$ _____	Spare Facepiece	Total: \$ _____

Signature Page

Sealed replies to this invitation shall be received at the following address on or before the indicated cut-off time:

Village of Carrollton
Attention: Village Administrator Mark Wells
80 Second Street S.W.
Carrollton, Ohio 44615

Failure to sign as indicated shall render your bid non-responsive and ineligible for award.

Your signature indicates that you have read, understood and hereby agree to be bound by all terms, conditions, specifications and requirements contained in this invitation.

Date:

Authorized signature by Officer/Agent of the Company

Type or print name shown above

Title of Officer/Agent signing

Name of Company

THE VILLAGE OF CARROLLTON NON-COLLUSION AFFIDAVIT

_____ being first duly sworn on oath deposes and states:
Printed Name

I. That in connection with this procurement:

A. The prices in this bid have been arrived at independently, without consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor.

B. The prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any bidder or to any competitor, and

C. No attempt has been made or will be made by the bidder to induce any other person or firm to submit or not submit a bid for the purpose of restricting competition.

II. The undersigned further states:

A. He is the person in the bidder's organization responsible within that organization for the decision as to the prices being bid herein and that he has not participated, and will not participate in any action contrary to (I)(A) through (I)(C) above; or,

B. he is not the person on the bidder's organization responsible within that organization for the decision as to the prices being bid herein but that he has been authorized in writing to act as agent for the person responsible for that decision in certifying that such persons have not participated, and will not participate, in any section contrary to (I)(A) through (I)(C) above.

III. It is expressly understood that foregoing statements, representations, and promises are made as a condition to the right of the bidder to receive payment under any award made hereunder.

FOR CORPORATIONS:

Name of Firm: _____

Please Check:

() Corporation () Partnership or () Sole Proprietor () Limited Liability Company

ATTEST TO SEAL

Signature and Title of Bidder

SUBSCRIBED AND SWORN TO before me this _____ day of _____, 20____

Notary Public: _____
Signature

PPE SPECIFICATIONS

All PPE shall meet or exceed the requirements found in the 2013 Edition of NFPA 1971 for Structural Firefighting Ensembles.

A total of Thirty-Five (35) Complete Structural Firefighting Ensembles shall be bid.

Definition of "Complete Structural Firefighting Ensemble" shall be defined as the following:

One (1) Coat, One (1) Pair of Pants w/suspenders or belt, One (1) Helmet, Two (2) Hoods, Two (2) Pairs of Gloves, One (1) Pair of Boots.

A total of Thirty-Five (35) Traditional Structural Firefighting Helmets shall be bid.

A total of Seventy (70) Particulate Filter Structural Firefighting Hoods shall be bid.

A total of Seventy (70) pairs of Leather Structural Firefighting Gloves shall be bid.

A total of Thirty-Five (35) pairs of Leather Structural Firefighting Boots shall be bid.

All PPE shall be most advanced, lightweight and ergonomic available with the minimum TPP of 46 and THL of 265

Bidders shall include a price list for options and additions to PPE.

COAT SPECIFICATIONS

Coat Outer Shell: 32" Coat with DRD, Kevlar/Nomex blend or equivalent material

Coat Thermal Liner: Glide Ice 2-layer or equivalent material

Coat Moisture Barrier: Stedair 4000 or equivalent material

Coat Closures: Zipper / Woven Hook and Loop

Coat Trim Style: 3" NYC Scotch Lite Orange

COAT PATTERN, LINER, PATCHES AND LABELS OPTIONS

Two Additional Snap Tabs at Cuff and Liner

Throat Tab - Large with Thermal Liner, 4x11" or equivalent

Nomex American Flag, Right Arm

LETTERING

CARROLLTON, 3" Scotchlite, Orange, Arched Sewn Direct Lettering

MEMBERS LAST NAMES, 3" Scotchlite, Orange, detachable tag with velcro and snaps

Last names shall be 3" unless they will not fit, then use 2" lettering

COAT REINFORCEMENTS

Knit Wrist Reinforcement: Long Knit Wrist with Thumb Hole, Nomex (Black)

Standard Cuff Reinforcement: Black, PCA (Polymer Coated Aramid) or equivalent material

Reinforced Padded Elbow Patches (5x8"), PCA (Polymer Coated Aramid) or equivalent material, Black in color

COAT MIC CLIPS AND STRAPS

1 - Mic Clip: 1" x 2"

D-Ring on Patch on right pocket flap

Snap Hook on upper right chest

COAT POCKETS

Chest Pocket - Left: Radio Pocket 7 x 3.5 x 2 with double notch pocket flap

Hand Pocket - Left: Handwarmer with Fleece Lining, 8 x 8 x 2 , Full Hook & Loop Closure

Hand Pocket - Right: Handwarmer with Fleece Lining, 8 x 8 x 2, Full Hook & Loop Closure

All pocket Flaps to be black

Pant Specifications

Pant Rise: Mid-Rise, No Rear Panel

Pant Outer Shell: Kevlar/Nomex blend or equivalent material

Pant Thermal Liner: Glide Ice 2-layer or equivalent material

Pant Moisture Barrier: Stedair 4000 or equivalent material

Pant Trim Style: 3" around cuffs – Scotch Lite Orange

Pants Closures: Zipper/ Woven Hook and Loop

Elastic Water Dam on bottom of pant legs or equivalent

Pant Suspenders

Sewn Direct Hook and Loop, H-Back, Black Webbing, Padded with Cam Lock (Max Length: 54")

Pant Pockets

Front Pocket - Left: Split 50/50, 10 x 10 x 2, with long Pocket Flap, Full Kevlar Lining (All Sides)

Front Pocket - Right: 3 Compartment, 10 x 10 x 2, with long Pocket Flap, Full Kevlar Lining (All Sides)

Pant Reinforcements

Knee Reinforcement: Foam, Black, PCA (Polymer Coated Aramid) or equivalent

Standard Cuff Reinforcement: Black, PCA (Polymer Coated Aramid) or equivalent

All pocket flaps to be black

HELMETS

Complete Traditional fire helmet made with fiberglass composite material, Matte finish, Carved Eagle, Quick release strap, Leather front, Flip down recessed visor.

HOODS

Prevent particle filter hood, Flame and Heat resistant, 2-layer particulate, blocking 99.9% of

exposure to dangerous fire ground particles.

GLOVES

Cowhided outer lining, Moisture barrier, Nomex thermal liner or equivalent, Seamless fingertips with 3-D fingers, Water and abrasion resistant, Flexible, with thumb having 360 deg range of motion, 60 TPP

BOOTS

Heavy duty leather structural firefighting boot, Flame, Water, Slip resistant, 300g insulation, Moisture barrier with Kevlar protectant, Pull straps sewn into top sides of boot, Composite heel, safety toe cap, shank and puncture protection

SCBA SPECIFICATIONS

APPROVALS

1. Apparatus shall be approved by the National Institute for Occupational Safety and Health (NIOSH), under 42 CFR, Part 84 for chemical, biological, radiological, and nuclear protection (CBRN) with 45- minute service life and compliant with all requirements of the National Fire Protection Association's 2013 Edition of NFPA-1981 Standard on Open-Circuit Self-Contained Breathing Apparatus.
2. Units must be equipped with integrated PASS device must meet requirements of NFPA 1982, 2016 edition.
3. All electronic components shall be approved for Intrinsic Safety under UL 913 Class I, Groups C and D, Class II, Groups E, F, and G, Hazardous locations.

DELIVERY/SHIPPING

1. List Delivery/completion time and shipping method.
2. Bids shall include shipping costs of SCBA equipment to:
Carrollton Village Fire Department, 135 Third St. S.W. Carrollton, Ohio 44615

QUANTITIES

See attached BID SHEET for quantities.

FIT TESTING

Bids to include SCBA mask fit testing of Carrollton Village Fire Department personnel. This Testing shall be performed at the Carrollton Village Fire Department. Documentation shall be provided upon completion.

See attached BID SHEET for quantities.

TRAINING

1. On-site training shall be provided for ALL active firefighter members by the successful bidder.
2. Training to include, but not limited to, complete explanation of the components and their function.
3. Hands on training for the proper procedures and use of the SCBA.
4. Training on the proper cleaning and disinfecting of SCBA.
5. Training of a maximum of three (3) technicians for SCBA maintenance on all applicable components.

WARRANTY

1. Bidder to provide a written warranty statement detailing all components of the SCBA warranty.
2. Bidder to state all maintenance and testing required, or recommended, to maintain manufacturer's stated warranty
3. Vendor shall state specifically in the bid the manufacturer's warranty regarding parts and/or labor, and the duration of the warranty in years. If separate parts of the pack/cylinder/mask have different warranties, this shall be specified in the bid.
4. The vendor shall state specifically any, and all regularly scheduled maintenance and requirements outlined by the manufacturer to maintain any and all warranties. Additionally, the vendor shall also provide specific information regarding where said maintenance can and/or should be performed (i.e. within department, manufacturer's service center, etc.).
5. The vendor is asked to provide information relative to the battery replacement schedule for the SCBA being considered along with the size and number of batteries for each unit. **Vendors are encouraged to specify rechargeable battery / charger options if available.**

Comply _____ Exception _____

A total of Fourteen (14) complete Self-Contained Breathing Apparatus shall be bid.

Definition of "Complete Self Contained Breathing Apparatus" shall be defined as the following:

One (1) Backpack / Frame, two (2) 4500 psi, forty-five (45) minute cylinders, one (1) Complete Facepiece, One (1) Voice Amplifier (unless integrated elsewhere)

Bidders shall include a price list for options or additions to SCBA's

Each Complete SCBA with:

One (1) Complete Face Piece, SCBA or Facepiece mounted communication and voice amplifiers, two (2) 45-minute 4500psi Carbon cylinders, URC, PASS, provide software upgrade when released in 2019 at no cost to the Fire Department, **15 year minimum warranty.**

FACEPIECE SPECIFICATION

All facepieces shall meet or exceed the requirements found in the applicable sections of the 2013 Edition of NFPA 1981 for Open Circuit Self Contained Breathing Apparatus.

A total of Twenty-One (21) complete Facepieces shall be bid.

Definition of "Complete Facepieces" shall be defined as the following:

One (1) Complete Facepiece with Voice Amplifier if applicable.

Bidders shall include a price list for options and additions to Facepiece.

FACEPIECE

Facepiece shall have nose cup and be available in three (3) sizes / small, medium, large.

Facepiece shall provide means to display to user with visual indicators for HUD.

Facepiece shall have head harness constructed of flame / heat resistant assembly. Kevlar head harness 4 point adjustable or Kevlar 5 point adjustable harness.